

DD/S  
STATINTL  
53-0759

MEMORANDUM FOR: Deputy Director (Support)

SUBJECT: Air-Conditioning Units -

REFERENCE: Memo to D/L fr. Ch. dated 5 Mar 56

STATINTL

STATINTL

1. This memorandum contains a recommendation submitted for DD/S approval. Such recommendation is contained in paragraph 5.

2. Referenced memorandum from Chief, requests approval for the procurement of six 3/4-ton window-type air conditioners for use at the

STATINTL

STATINTL

3. In reviewing the above request the following criteria have been considered:

- a. Climate
- b. Activity
- c. Cover
- d. Electric power
- e. Equipment
- f. Installation
- g. Cost

Document No. 10017  
No Change ☒  
[ ] ☐  
Change ☐  
New ☐  
Auth: RM 78-3  
Date: \_\_\_\_\_ By: 63

4. In line with the above-listed criteria, the following comments are made:

a. Climate: The available temperature data for the area indicates that the station is slightly above Agency temperature criteria and is entitled to be considered for air conditioning.

b. Activity: The operation of stations would be considered similar to laboratory facilities where excessive heat generating equipment might be installed. Accordingly, the installation of air conditioners would be desirable for efficient operation of the facilities.

STATINTL

STATINTL

Subject: Air-Conditioning Units - [REDACTED]

STATINTL

STATINTL

d. Electric Power: It is assumed from statements in paragraph 3 of referenced memorandum that adequate suitable power is available.

e. Equipment: It is also assumed that standard U. S. manufactured units are to be procured and that repair parts will be available through the [REDACTED] Procurement Office. Also, that the size unit requested (3/4 ton) will have sufficient capacity to meet minimum cooling requirements of the individual installations.

STATINTL

f. Installation: Should the building have casement windows, window guards or unusual wall construction, the details of the installation should be checked before the units are procured and the necessary modifications made.

g. Cost: The price of \$230 per unit quoted in paragraph 4 of reference is considered quite reasonable.

5. In accordance with the above comments it is the opinion of this Office that the referenced request should be favorably considered, and it is, therefore, recommended that it be approved.

STATINTL

[REDACTED]  
Acting Director of Logistics

The recommendation in paragraph 5 is Approved:

21 March 1956  
Date

*for* 151 A. Gates Lloyd  
L. K. WHITE  
Deputy Director  
(Support)

Distribution:

Orig - OL

2 - DD/S Chrono + subject

1 - Comptroller

1 - Comp/Fiscal

1 - [REDACTED]

1 - OL Files

Approved For Release 2001/07/28 : CIA-RDP78-04718A002000090017-4

1 - RECD Chrono

OL/RECD/ [REDACTED] :g-jl/4543 (13 Mar. 56)

1 - Siener

STATINTL

STATINTL